



DO NOT SCALE

NOTE:
IF CISTERN IS INSTALLED ABOVE RIM HEIGHT OF PEDESTAL, THE CHECK VALVE MUST BE INSTALLED BETWEEN THE PUMP AND THE PEDESTAL, PREVENTING DRAINING THE CISTERN.

A	31.03.03	S.N.	UPDATED TO LATEST DESIGN	IAN
No.	DATE	BY	DESCRIPTION	GOUGH
REVISION				APPROV.

GP
GOUGH PLASTICS
Custom Rotational Moulders
AUSTRALIA

Gough Industries Pty. Ltd.
833 Ingham Road
Bohle, Townsville
P.O. Box 1258, Alkenvale, Qld. 4814.
Telephone 07 47747606
Facsimile 07 47747608
A.C.N. 010 028 547

This drawing remains the property of Gough Industries Pty. Ltd.
It is subject to Gough Industries Pty. Ltd.'s recall and must not
be reproduced in part or whole or it's contents divulged to third parties
without prior written approval from Gough Industries Pty Limited.

Signature	Date
S.NAGY	31.08.01
DRAWN	
DRN. CHK	
ENGINEER	
ENG. CHK	
Eng. APPROVAL	
CONTROLLED DOCUMENT	NO

HYBRID TOILET SYSTEM (MICROFLUSH, HAND PUMP)			
INLINE ASSEMBLY			
SCALE	1:10	A4	GTL-0000-22
CAD FILE:		H:\HYBRID TOILET SYSTEM\Misc\	

REV
A